

F.B.
833

FIELD BOOK.

No. 400

MICROFILMED

DEC 10 1964

103867	SW	RR	H	} 3/2 1/4
82789	NE	"	I	
76344	SW	"	J	
73000	NE	"	L	
76536	SW	"	M	
74870	SE	"	N	
73070	SE	"	Wells	

30898

400' N

E	6.3	302.7
cb	6.1	302.9
+2	6.5	302.5
1/4	6.4	302.6
c	6.3	302.7
1/2	6.7	302.3
+8	7.3	301.7
cb	7.0	302.0
W	7.4	301.6

PLOTTED

375' N

W	7.6	301.4
cb	7.3	301.7
+2	7.6	301.6
1/2	7.2	301.8
c	6.7	302.3
1/4	6.9	302.1
+8	7.3	301.7
cb	7.0	302.0
E	7.4	301.6

350' N

E	7.7	301.3
cb	7.5	301.5
+2	7.7	301.3
1/4	7.3	301.7

30898

C	6.9	302.1
1/2	7.0	301.5
+8	7.7	301.3
cb	7.4	301.6
W	7.6	301.4

PLOTTED

325' N

W	7.7	301.3
cb	7.5	301.5
+2	7.9	301.1
1/2	7.5	301.5
c	7.2	301.8
1/4	7.4	301.6
+8	7.9	301.1
cb	7.6	301.4
E	7.6	301.4

300' N

E	7.7	301.3
cb	7.8	301.2
+2	8.1	300.9
1/2	7.7	301.3
c	7.3	301.7
1/4	7.9	301.1
+8	8.2	300.8
cb	7.9	301.1
W	8.1	300.9

30898

275' N

W		8.5	300.5	
cb		8.2	300.8	
+2		8.6	300.6	
1/4		8.0	301.0	
c		7.5	301.5	
1/4		7.8	301.2	
+8		8.1	300.9	
cb		7.7	301.3	
E		7.8	301.2	
TP	3.65	304.89	7.74	301.24

PLOTTED

250' N

E		3.6	301.3
cb		3.7	301.2
+2		4.0	300.9
1/4		3.9	301.0
c		3.7	301.2
1/4		4.3	300.6
+8		4.8	300.1
cb		4.6	300.3
W		4.8	300.1

225' N

W		5.0	299.9
cb		4.9	300.0
+2		5.1	299.8

30489

1/4

c

1/4

+8

cb

E

E

cb

+2

1/4

c

1/4

+8

cb

W

W

cb

+2

1/4

c

1/4

+8

cb

E

PLOTTED

4.2	300.7
4.0	300.9
4.4	300.5
4.1	300.9
3.9	301.0
3.8	301.1

280' N

4.1	300.8
4.1	300.8
4.6	300.3
4.5	300.4
4.2	300.7
4.7	300.2
5.1	299.8
4.7	300.2
4.8	300.1

175' N

5.2	299.7
5.2	299.7
5.3	299.6
4.7	300.2
4.4	300.5
4.7	300.2
4.5	300.4
4.2	300.7
4.2	300.7

30489

150' N

E	46	300.3
cb	46	300.3
+2	50	299.9
1/4	48	300.1
0	47	300.2
1/4	51	299.8
+8	54	299.5
cb	54	299.5
W	55	299.4

PLOTTED

125' N

W	60	298.9
cb	57	299.2
+2	59	299.0
1/4	52	299.7
0	50	299.9
1/4	52	299.7
+8	54	299.5
cb	51	299.8
E	49	300.0

100' N

E	52	299.7
cb	53	299.6
+2	56	299.3
1/4	53	299.6

30419

0	51	299.8
1/4	55	299.6
+8	62	298.7
cb	63	298.6
W	65	298.4

75' N

W	62	298.7
cb	61	298.8
+2	64	298.5
1/4	57	299.2

PLOTTED

0	52	299.7
1/4	54	299.5
+8	57	299.2
cb	53	299.6
E	53	299.6

50' N

E	51	299.8
cb	51	299.8
+2	52	299.7
1/4	53	299.6
0	50	299.9
1/4	57	299.2
+8	57	299.2
cb	56	299.3
W	58	299.1

30489

25' N

W	5.4	299.5
cb	5.2	299.7
+2	5.5	299.4
1/4	5.4	299.5
c	5.0	299.9
1/4	5.2	299.7
+8	5.1	299.8
cb	4.9	3000
E	5.1	299.8

PLOTTED

S line of Street

E	5.2	299.7
cb	5.1	299.8
+2	5.4	299.5
1/4	5.3	299.6
c	5.3	299.6
1/4	5.6	299.3
+8	5.6	299.3
cb	5.5	299.4
W	5.6	299.3

4/24/12 Hatch
Pleace
Hall1/2 sec Vermont from Lincoln
to Johnson.

123	299.95	
1221 NE Cor Lincoln - Johnson		298.52
TP	5.45	298.45
		6.95
		293.00

1/2 sec Lincoln

E	5.7	292.8
cb	5.6	292.7
+2	6.4	292.1
1/2	6.6	291.9
c	6.2	292.2
1/4	6.8	291.7
cb	6.7	291.8
W	6.8	292.7

PLOTTED

25' N

W	6.1	292.4
	6.6	291.9
	7.0	291.5
c	7.0	291.5
	7.2	291.3
	6.6	291.9
E	5.9	292.6

50' N

E	5.7	292.8
	6.8	291.7
	7.0	292.5
c	7.0	291.5
	6.9	291.6

298.45

	6.7	291.8
W	6.3	292.1
	75' N	
W	6.2	292.2
	6.5	292.0
	6.9	291.6
U	6.6	291.8
	6.5	292.0
	6.0	292.5
F	5.8	292.6
	100' N	
E	6.6	292.8
cb	6.3	292.2
+11	6.6	291.9
1/4	6.0	292.5
c	6.2	292.2
	6.3	292.2
	6.2	292.3
W	6.0	292.4
	125' N	
W	6.1	292.3
	6.3	292.2
	6.0	292.5
c	5.4	293.0
	5.6	292.9

PLOTTED

298.45

	5.7	292.8
E	5.0	293.4
	150' N	
E	4.5	294.0
	4.7	293.8
	5.0	293.5
c	5.1	293.3
	5.7	292.8
	5.5	293.0
W	5.6	292.5
	175' N	
W	6.4	292.0
	6.2	292.3
	5.4	293.1
c	5.7	293.3
	4.4	294.1
	4.2	294.3
E	3.9	294.5
	200' N	
E	3.9	294.5
	4.3	295.2
	4.7	293.8
c	5.3	293.1
	5.6	292.9
	5.8	292.7

PLOTTED

298.45

W		6.3	292.1
	225' N		
W		6.7	291.7
		6.8	292.2
		5.4	293.1
C		5.8	293.1
		5.2	293.3
		4.7	293.8
E		3	294.1
	260' N		
E		3.6	294.8
		4.7	293.9
		3.1	293.4
C		5.2	293.2
		5.7	292.8
		6.1	292.4
W		6.0	292.4
	275' N		
W		3.5	293.0
		5.3	293.2
		5.5	293.0
C		5.0	293.5
		5.0	293.5
		4.0	294.5
E		3.2	295.2

PLOTTED

260' N

298.45

	300' N = St. Hayes Ave.		
		3.5	295.0
E		3.9	294.6
		4.3	294.2
		4.1	294.3
		4.4	294.1
		5.3	293.2
W		5.8	292.6
	50'		
		3.7	292.8
		5.3	293.2
		4.7	293.8
		4.4	294.0
C		3.9	294.6
		3.8	294.7
		3.8	294.6
E			
	5 1/2'		
		3.3	295.1
E		3.6	294.9
		3.7	294.8
		4.1	294.3
		4.2	294.3
		4.5	294.0
		5.4	293.0
W			

PLOTTED

298.45

cr.

W	4.8	293.6
	4.1	294.4
	3.7	294.8
0	3.8	294.6
	3.7	294.8
	3.6	294.9
E	3.4	295.0
E	3.1	295.3
	3.3	295.2
	2.6	295.9
0	2.8	295.6
	3.1	295.4
	3.6	294.9
W	4.5	294.0
W.	4.3	294.2
	3.4	295.1
	3.0	295.5
0	2.3	296.1
	2.2	296.3
	2.8	295.7
E	2.8	295.6

PLOTTED

298.45

Rhine Hayes Ave

E	2.5	296.0
	2.7	295.8
	2.2	296.3
0	2.4	296.0
	2.5	296.0
	2.9	295.6
W	3.5	295.0
T.P.	620	
	301.11	
	25 N	
		294.91
W	5.8	295.3
	6.6	295.5
	6.4	295.7
0	5.1	296.0
	4.9	296.2
	4.7	296.4
E	4.5	296.6
E	4.0	297.1
	4.2	296.9
	4.5	296.6
0	4.8	296.3
	5.1	296.0
	5.4	295.7
W	5.7	295.4

301.11

75' N

W	5.9	295.2
	5.4	295.7
	4.9	296.2
C	4.5	296.6
	4.5	296.6
	4.2	296.9
E	4.2	296.9

100' N

PLOTTED

E	4.7	296.4
	4.6	296.5
	4.5	296.6
C	4.5	296.6
	4.8	296.3
	4.5	296.6
W	5.2	295.9

117' N

W	5.0	296.1
	4.8	296.8
	4.7	296.4
C	4.6	296.5
	4.9	296.2
	5.7	296.0
E	5.4	295.8

117' Not Hayes



W	301.11	5.5	295.6
cb		5.3	295.8
1/2		5.2	295.9
++		5.2	295.9
			North end
W		5.9	295.2

6 Hatch
25. Moore
12 Hall

Sec. A St from 15th 172 West
60' Street - 10' walk

27m SW St-A Sts 1022 100.22

89.995

W/L 15th

100.22

40' W

N	10.1	90.1
cb	9.5	90.7
1/2	9.4	90.8
c	9.1	91.1
1/2	9.4	90.8
cb	9.7	90.5
s	8.9	91.3
5' W		
s	7.2	93.0
	7.3	92.9
	6.9	93.3
c	7.5	92.7
	8.0	92.2
	8.2	92.0
N	8.3	91.4
20' W		
N	3.7	94.3
	5.8	94.4
	4.9	95.8
c	3.8	96.4
	4.0	96.2
	3.5	96.7
s	4.0	96.2

s	1.6	98.6
	1.7	98.5
	2.3	97.9
c	2.7	97.5
	2.5	97.6
	2.9	97.3
N	3.5	96.7
50' W		
N	1.5	98.7
	1.5	98.7
	1.0	99.2
c	0.4	99.8
	0.1	100.1
	0.1	100.1
s	0.4	99.8
TP	11.50	111.14
65' W		
s	87	102.4
+5	61	105.0
cb	60	105.1
1/4	55	105.6
+6	53	105.8
0	65	104.6
1/4	98	101.3

97.64

	71.14		
cb.		10.0	101.1
N		10.9	100.2
	75' W		✓
N		9.3	101.8
S		8.5	102.6
1/4		7.7	103.4
C		9.6	106.5
1/4		5.1	106.0
cb		5.5	105.6
+5		5.4	105.7
S		7.0	104.1
	100' W		✓
S		3.4	107.7
		3.0	108.1
		3.1	108.0
C		3.5	107.6
		4.6	106.5
		5.4	105.7
N		6.0	105.1
	125' W		
N		2.3	108.9
S		1.4	109.7
1/2		1.0	110.1
C		0.9	110.2
1/2		0.5	110.6

	111.14		
cb		5.0	111.1
T10	1083	121.91	111.8
+5		10.1	111.8
S		9.0	112.9
	150' W		
S		6.9	115.0
		7.4	114.5
		7.9	114.0
C		8.3	113.6
		8.5	113.4
		8.2	113.7
N		8.2	113.7
	172' W		
N		6.0	115.9
		6.1	115.8
		4.7	117.2
C		4.3	117.6
		3.8	118.1
		3.1	119.8
S		2.8	119.6

W. Hatch
181 Moore
112 Hall

Dec. 31st
from Webster to H

1374 34 N	268	79.75	77.07
	158	79.32	74.74
		W. Webster	
W		7.4	71.9
+5		{ 7.0	72.3
cb		{ 4.8	74.5
+7		5.8	73.5
1/4		5.0	74.3
+3		6.8	72.5
cr		9.3	70.0
+6		9.0	70.3
1/4		{ 9.2	70.1
cb		{ 7.0	70.3
F		7.8	72.3
		6.9	72.4
		6.8	72.8
	5' N		
E		5.8	73.5
cb		6.5	72.8
1/4		6.9	72.4
+3		{ 6.7	72.5
cr		{ 9.6	69.7
+6		8.7	70.6
1/4		{ 9.7	69.6
+8		{ 7.0	71.3
cb		4.9	74.4
		3.7	75.6
		4.1	75.2

7932

W	6.5	73.8
	25' N	
W	4.7	74.6
+7	4.0	75.3
cb	2.9	76.4
+5	4.5	74.8
1/4	4.1	75.2
+2	{ 5.6	73.7
	{ 9.5	69.8
C	8.5	70.8
+5	{ 9.4	69.8
1/4	{ 9.5	73.8
cb	4.8	74.8
E	5.8	73.5
	5.0	74.3
	50' N	
E	4.6	74.7
cb	5.2	74.1
1/4	4.5	74.8
+5	{ 5.2	74.1
cr	{ 9.2	70.1
+8	8.2	71.1
1/4	{ 8.3	70.0
cb	{ 5.3	73.5
+5	4.8	74.5
cb	2.6	76.7
+5	3.8	75.5
W	4.9	74.9

132

79.32

75°N

W	3.9	75.4
cb	2.3	77.0
+5	3.4	75.9
1/4	5.4	73.9
	29.3	70.0
0	8.3	71.0
+3	5.7	70.6
	2.9	74.4
1/4	4.9	74.4
cb	4.8	74.5
E	4.8	74.5

100°N

E	4.2	75.1
cb	4.8	74.5
1/4	4.6	74.7
0	5.3	74.0
	5.5	70.8
1/4	8.3	71.0
+3	9.0	70.3
+5	4.0	75.3
cb	2.4	76.9
+6	8.7	75.6
W	3.9	75.4

125°N

W	2.9	76.5
+3	4.8	74.5
cb	5.3	74.0
	2.7	70.6

79.32

1/4	7.7	71.6
+3	5.2	71.1
	5.0	74.3
0	4.5	74.8
1/4	4.6	74.7
cb	4.7	74.6
E	4.2	75.1

145°N

E	4.4	74.9
cb	4.6	74.7
1/4	4.4	74.9
0	4.1	75.2
1/4	4.4	74.9
+5	4.9	74.4
	3.2	71.1
cb	7.0	72.3
	3.2	71.1
	4.9	74.4

150°N

W	8.2	71.1
cb	7.3	72.0
+3	8.2	71.1
	4.7	74.6
1/4	4.2	75.1
0	4.2	75.1
1/4	4.4	74.9
cb	4.7	74.6
E	4.5	74.8

79.32

175' N

E	4.6	74.7
cb	4.2	75.1
1/4	4.0	75.3
c	3.9	75.4
1/4	3.9	75.4
cb	3.8	75.5
W	3.6	74.7
	3.4	71.9

200' N

W	4.6	74.7
cb	4.9	74.4
1/4	4.3	75.0
c	4.0	75.3
1/4	3.9	75.4
cb	4.5	74.8
E	4.7	74.6

225' N

E	4.5	74.8
cb	4.1	75.2
1/4	4.5	74.8
c	5.0	74.3
1/4	5.0	74.3
cb	5.1	74.2
W	5.1	74.2

79.32

250' N

W	5.3	74.0
	5.3	74.0
	5.2	74.1
c	5.1	74.2
	5.1	74.2
	4.8	74.8
E	4.4	74.9

282' N = 5h "N"

E	5.0	74.3
	5.0	74.3
	5.0	74.3
	5.0	74.3
	4.9	74.4
	5.3	74.0
W	5.6	73.7

T.P. 407

75.81

45.8

74.74

N Line "N"

W	5.3	73.5
	5.1	73.7
	5.2	73.6
c	5.1	73.7
	5.0	73.8
	4.4	74.4
E	3.9	74.9

3.

78.51
25' N

E	4.6	74.2
	5.0	73.8
	5.0	73.8
C	5.0	73.8
	5.1	73.7
	5.1	73.7
W	5.2	73.6

50' N

W	4.1	74.7
	5.3	73.5
	5.1	73.7
C	5.0	73.8
	5.0	73.8
	5.0	73.8
E	4.9	73.9

75' N

E	4.9	73.9
	5.1	73.7
	5.1	73.7
C	5.2	73.6
	5.2	73.6
	5.3	73.5
W	5.3	73.5

78.51
100' N

W	5.3	73.5
	5.4	73.4
	5.0	73.8
C	4.8	74.0
	4.8	74.0
	5.1	73.7
E	5.0	73.8

125' N

E	4.9	73.9
	5.2	73.6
	4.9	73.9
C	4.8	74.0
	5.0	73.8
	5.3	73.5
W	5.2	73.6

150' N

W	5.2	73.6
	5.1	73.7
	4.7	74.1
C	4.4	74.4
	4.1	74.7
	4.3	74.5
E	4.8	74.0

7881

175' N

E	4.6	74.2
	4.8	74.0
	4.9	73.9
C	5.1	73.7
	5.0	73.8
	5.1	73.7
W	5.0	73.8

200' N

W	4.6	74.2
	5.0	73.8
	5.0	73.8
C	5.0	73.8
	5.0	73.8
	4.9	73.9
E	4.9	73.9

225' N

E	4.9	73.9
	4.8	74.0
	4.6	74.2
C	4.4	74.4
	4.6	74.2
	5.0	73.8
W	4.8	74.0

7881

250' N

W	4.2	74.6
	4.8	74.0
	4.9	73.9
C	4.7	74.1
	4.4	74.4
	4.4	74.4
E	4.4	74.4

275' N

E	4.1	74.7
	4.3	74.5
	4.1	74.7
C	4.0	74.8
	4.1	74.7
	3.6	75.2
W	3.6	75.2

300' N = 56" N

W	2.5	76.3
	2.7	76.1
	3.1	75.7
C	2.9	75.9
	3.2	75.6
	3.0	75.8
E	2.7	76.1

IP 571

8226

216

76.65

8286

16 "M"

E	5.1	77.3 (76.7) 9
	5.4	77.0
	5.5	76.9
C	5.3	77.1
	5.6	76.8
	5.3	77.1
W	4.9	77.5

25' N

W	5.3	77.1
	5.1	77.3
	5.4	77.0
C	5.6	76.8
	5.6	76.8
	5.5	76.9
E	5.2	77.2

30' N

E	5.0	77.4
	5.3	77.1
	5.2	77.2
C	5.2	77.2
	5.3	77.1
	5.1	77.3
W	5.5	76.9

8286

75' N

W	5.3	77.1
	5.1	77.3
	5.2	77.2
C	5.1	77.3
	5.0	77.4
	4.8	77.6
F	4.8	77.6

100' N

E	4.6	77.8
	4.8	77.6
	4.9	77.5
C	4.8	77.6
	4.8	77.6
	4.9	77.5
W	5.3	77.1

125' N

W	4.7	77.7
	4.7	77.7
	4.8	77.6
C	4.7	77.7
	4.7	77.7
	4.6	77.8
E	4.5	77.9

S236

150 N

E	4.1	78.3
	4.3	78.1
	4.6	77.8
C	4.6	77.8
	4.6	77.8
	4.8	77.6
N	4.8	77.6

175 N

W	4.7	77.7
	5.1	77.3
	5.0	77.4
P	4.8	77.6
	4.7	77.7
	3.9	78.5
E	3.9	78.5

200 N

F	3.8	78.6
	4.3	78.1
	4.8	77.6
C	4.8	77.6
	5.1	77.3
	5.0	77.4
W	4.7	77.7

S236

225 N

W	4.7	77.7
	5.1	77.3
	5.0	77.4
C	4.8	77.6
	4.7	77.7
	4.2	78.2
E	3.9	78.5

250 N

E	4.5	77.9
	4.7	77.7
	5.0	77.4
C	4.9	77.5
	5.1	77.3
	5.1	77.3
W	4.7	77.7

275 N

W	5.7	76.7
	5.6	76.8
	5.4	77.0
C	5.7	76.7
	5.4	77.0
	5.0	77.4
E	4.6	77.8

8236

		500' N-Sk h	
		57	76.7
E		57	76.0
		58	76.6
		59	76.5
		59	76.5
		62	76.2
		62	76.2
W		57	76.7
TP	592	81.94 634	76.02
		Nh h	
W		58	76.1
		58	76.1
		59	76.0
C		55	76.4
1/2		54	76.5
+5		48	77.1
cb		38	78.1
E		42	77.7
		25' N	
E		35	78.4
cb		37	78.2
+5		47	77.2
1/2		54	76.5
a		56	76.3
1/2		58	76.1

8194

		57	76.2
		58	76.6
		50' N	
		54	76.5
		57	76.2
		56	76.3
		55	76.4
		54	76.5
		47	77.2
		39	78.0
		34	78.5
		75' N	
		36	78.3
		40	77.9
		49	77.0
		54	76.5
		53	76.6
		55	76.4
		54	76.5
		54	76.5
		100' N	
		50	76.9
		52	76.7
		51	76.8
		50	76.9

	8195		
1/2		50	76.9
+5		45	77.4
		39	78.0
E		39	78.0
	125' N		
E		39	78.0
cb		41	77.8
+5		48	77.1
1/4		49	77.0
		50	76.9
		51	76.8
		50	76.9
W		48	77.1
	150' N		
W		42	77.7
		49	77.0
		48	77.1
		46	77.3
1/4		47	77.2
+5		44	77.5
		40	77.9
E		37	78.2
	175' N		
E		38	78.1
cb		41	77.8

	8194		
1/2		45	77.4
		43	77.6
		47	77.2
		42	77.7
W		42	77.7
	200' N		
W		40	77.9
		40	77.9
		46	77.3
⊙		43	77.6
		41	77.8
		40	77.9
E		39	78.0
	225' N		
E		39	78.0
		39	78.0
		41	77.8
⊙		43	77.6
		46	77.3
		40	77.9
W		40	77.9
	250' N		
W		43	77.6
		42	77.7
		46	77.3

8194

	43	77.6
	41	77.8
	36	78.3
E	36	78.3

275' N.

E	36	78.3
	34	78.5
	40	77.9
	42	77.7
	39	78.0
	40	77.9
W	4.1	77.8

300' N = 51' K

W	39	78.0
	39	78.0
	40	77.9
	41	77.8
	41	77.8
	39	78.0
E	38	78.1

TP	271	8073	392	78.02
----	-----	------	-----	-------

7

8073

Xh K

E	2.8	77.9
	2.8	77.9
	3.2	77.5
	3.0	77.7
	3.4	77.3
	3.7	77.0
W	3.7	77.0

25' N

W	41	76.6
	39	76.8
	38	76.9
	40	76.7
	40	76.7
	38	76.9
	33	77.4

50' N

E	39	76.8
	39	76.8
	42	76.5
	43	76.4
	41	76.6
	43	76.4
W	43	76.4

8073

75' N

W	4.9	75.8
	4.9	75.8
	4.8	75.9
C	4.9	75.8
	4.2	76.5
	3.8	76.9
E	3.5	77.2

100' N

E	4.7	76.0
	5.0	75.7
	5.2	75.5
C	5.1	75.6
	4.7	76.0
	4.5	76.2
W	4.9	75.8

125' N

W	5.2	75.5
	5.2	75.5
	5.1	75.6
C	5.3	75.4
	5.4	75.3
	4.8	75.9
E	4.9	75.8

8073

150' N

E	5.0	75.7
	5.1	75.6
W	5.6	75.1
C	5.1	75.6
	5.2	75.5
	5.4	75.3
W	5.4	75.3

175' N

W	5.0	75.2
	5.4	75.3
	5.2	75.5
C	5.2	75.5
	5.4	75.3
	5.1	75.6
E	4.8	75.9

200' N

E	4.5	75.2
	4.9	75.8
	5.1	75.6
C	5.1	75.6
	5.1	75.6
	5.1	75.6
W	5.1	75.6

8413

cr.

W	7.8	76.3
	7.7	76.4
	7.1	77.0
C	7.1	77.0
	7.6	76.5
	7.9	76.2
E	7.8	76.3

N 1/4

E	7.7	76.4
	7.5	76.6
	7.2	76.9
C	6.9	77.2
	7.0	77.1
	7.4	76.7
W	7.9	76.2

rcb

W	7.7	76.0
	7.7	76.4
	7.0	77.1
C	7.0	77.1
	7.3	76.8
	7.5	76.6
E	7.6	76.5

8413

N 1/4 J

E	7.5	76.6
	7.4	76.7
	7.5	76.6
C	7.4	76.7
	7.4	76.7
	7.5	76.6
W	7.6	76.5

25 N

W	7.3	76.8
	7.2	76.9
	7.2	76.9
C	7.3	76.8
	7.3	76.8
	7.1	77.0
E	7.3	76.8

30 N

E	7.1	77.0
	6.9	77.2
	6.5	77.6
C	6.9	78.2
	6.6	77.5
	6.9	77.2
W	7.1	77.0

8413

75' N

W	6.8	77.3
	6.8	77.3
	6.7	77.4
C	6.3	77.8
	6.6	77.5
	6.6	77.5
F	6.8	77.3

100' N

F	6.5	77.6
	6.0	78.1
	5.8	78.3
C	6.0	78.1
	6.1	78.0
	6.4	77.7
W	6.6	77.5

125' N

W	6.0	78.1
	6.1	78.0
	6.0	78.1
C	5.8	78.3
	6.0	78.1
	6.9	78.2
E	6.1	78.0

8413

150' N

E	5.8	78.3
	4.9	79.2
	5.0	79.1
C	6.3	78.8
	5.1	79.0
	5.0	79.1
W	5.4	78.7

175' N

W	5.3	78.8
	5.1	79.0
	5.2	78.9
C	5.3	78.8
	5.3	78.8
	5.1	79.0
F	5.3	78.8

200' N

F	5.0	79.1
	4.8	79.3
	4.8	79.3
C	4.8	79.3
	5.0	79.1
	4.9	79.2
W	4.9	79.2

8413

225°N

W	4.3	79.8
	4.0	80.1
	3.8	80.3
C	4.0	80.1
	4.1	80.0
	4.4	79.7
E	4.6	79.5

250°N

E	4.0	80.1
	4.3	79.8
	4.1	80.0
C	4.2	79.9
	4.0	80.1
	3.9	80.2
W	3.9	80.2

275°W

W	3.5	80.6
	3.2	80.9
	3.1	81.0
C	3.3	80.8
	3.4	80.7
	3.9	80.2
E	3.5	80.6

8413

300°N = 31°I

	3.1	81.0
	3.5	80.6
	2.9	81.2
C	3.1	81.0
	3.0	81.1
	3.1	81.0
W	3.2	80.9

306°

	2.7	80.9
	2.8	81.3
	2.8	81.3
C	2.7	81.4
	2.7	81.4
	3.1	81.0
E	2.8	81.6

5/4

	2.7	81.9
	2.8	81.3
	2.7	81.4
C	2.6	81.5
	2.5	81.6
	2.6	81.5
W	2.9	81.2

8413

CV

W	29	81.2
	28	81.3
	27	81.4
C	27	81.4
	27	81.4
	26	81.5
E	22	81.9

N/A

E	22	81.9
	23	81.8
	23	81.8
C	23	81.8
	22	81.9
	24	81.7
W	26	81.5

ncb

W	24	81.7
	24	81.7
	20	82.1
C	20	82.1
	19	82.2
	20	82.1
E	16	82.5

8413

XL 'I'

F	12	82.9
	14	82.7
	18	82.3
C	19	82.2
	21	82.0
	23	81.8
W	24	81.7

25'W

W	19	82.2
	16	82.5
	18	82.3
C	14	82.7
	15	82.6
cb	13	82.8
+5	13	82.8
E	04	83.7

TOP

11.6

92.42

0.87

83.26

50'W

E	10.6	83.8
	10.8	83.6
	11.7	83.2
C	11.8	83.1
	11.5	82.9
	11.5	82.9

	9442		
W		11.8	82.6
	75'N		
W		10.9	83.5
		10.9	83.5
		12.8	83.6
Q		10.7	83.7
		10.5	83.9
		10.4	84.0
E		9.9	84.5
	100'N		
E		9.1	85.3
		9.1	85.3
		9.4	85.0
C		9.6	84.8
		9.3	85.1
		9.2	85.2
W		9.3	85.1
	125'N		
W		7.3	87.1
		7.6	86.8
		8.0	86.4
C		8.2	86.2
		8.0	86.4
		7.7	86.7
E		8.1	86.3

	9442		
		150'N	
E		7.0	87.4
		6.9	87.5
		6.8	87.6
		6.5	87.9
		6.6	87.8
		6.2	88.2
W		5.8	88.6
	175'N		
W		6.9	90.5
		4.8	89.6
		5.2	89.2
		6.2	89.2
		6.2	89.2
		5.2	89.2
E		5.7	89.3
	200'N		
E		3.8	90.6
		3.7	90.7
		3.6	90.8
C		3.5	90.9
		3.2	91.2
		2.1	92.3
W		1.6	92.8

9442

225' N

W			0.3	94.1
			0.2	94.2
			0.6	93.8
c			1.2	93.2
			1.2	93.2
			1.6	92.8
E			2.0	92.4
TD	1260	106.20	0.82	93.60
		250' N		
E			11.3	94.9
			10.6	95.6
			10.5	95.7
c			10.5	95.7
			10.1	96.1
			9.5	96.7
W			7.8	98.4
		275' N		
W			4.3	101.9
cl			5.7	100.5
1/2			6.2	100.0
+5			7.8	98.4
c			8.3	97.9
1/2			8.6	97.6
cb			8.4	97.8

106.20

E			9.2	97.0
		300' N = SL	H	SL
E			7.3	98.9
cl			7.2	99.0
1/2			6.5	99.7
+3			5.0	101.2
c			4.0	102.2
1/2			3.2	103.0
cl			1.5	104.7
W			0.5	105.7
RM			2.40	103.80

7/25/12

X section of Johnson Ave.

60' street
10' walks
10' quarters

Gregory
Shoemaker
Hornick

296.84

B.M. N.E. Lincoln + Johnson
0.24 299.46
298.52

2.10 296.84 5.02 294.44

PUEBLO LINE
EM. ON POLE 30' 30' ON JOHNSON ON P.L. See Sketch

N 1.50 292.34
7.3 289.5

cb 7.3 289.5

1/2 7.8 289.0

c 8.2 288.6

1/4 8.4 288.4

cb 8.2 288.6

S 8.2 288.6

25' EAST P.L.

S 7.5 289.3

cb 7.0 289.8

1/2 6.6 290.2

c 6.4 290.4

1/4 6.5 290.3

cb 6.9 289.9

N 6.9 289.9

50' EAST

N 6.5 290.3

cb 6.5 290.3

1/2 6.4 290.4

c 6.5 290.3

1/4 6.5 290.3

cb 6.4 290.4

S 6.2 290.0

75' E

S 6.1 290.7

cb 6.0 290.8

1/2 6.2 290.6

c 6.2 290.6

1/4 6.1 290.7

cb 6.1 290.7

S 6.2 290.6

100' E

N 6.7 290.1

cb 6.4 290.4

1/2 6.1 290.7

c 5.7 291.1

1/4 5.8 291.0

cb 5.8 291.0

S 5.7 291.1

125' E

S 5.6 291.2

cb 5.8 291.0

1/2 6.1 290.7

c 6.2 290.6

1/4 6.3 290.5

cb 6.8 290.0

S 7.1 289.7

PLOTTED

PLOTTED

296.84

150' E

B	N	7.5	289.3
	ct	7.0	289.8
	1/4	6.7	290.1
	c	6.2	290.6
	1/4	6.2	290.6
	ct	6.0	290.8
	S	5.8	291.0

175' E

S	5.9	291.1
ct	5.9	290.9
1/4	6.1	290.7
c	6.1	290.7
1/4	6.1	290.7
ct	6.7	290.1
N	6.9	289.9

200' E

N	6.4	290.4
ct	6.1	290.7
1/4	5.8	291.0
c	5.6	291.2
1/4	5.9	290.9
ct	5.9	290.9
S	5.5	291.3

296.84

Johnson

225' E

S	5.5	291.3
ct	5.3	291.5
1/4	5.5	291.3
c	5.7	291.1
1/4	5.6	291.2
ct	6.0	290.8
N	6.2	290.6

250' E

N	6.3	290.5
ct	5.9	290.9
1/4	5.6	291.2
c	5.4	291.4
1/4	5.3	291.5
ct	5.1	291.7
S	5.1	291.7

275' E

S	4.9	291.9
ct	5.1	291.7
1/4	5.1	291.7
c	5.3	291.5
1/4	5.5	291.3
ct	6.0	290.8
N	6.9	289.9

296.84

300' E

N	8.0	288.8
cb	6.7	290.1
1/4	6.1	290.7
c	5.2	291.6
1/4	5.0	291.8
cb	4.7	292.1
S	4.4	292.4

325' E

S	4.5	292.3
cb	4.7	292.1
1/4	5.3	291.5
c	5.7	291.1
1/4	6.5	290.3
cb	8.6	288.2

PLOTTED

10.5 286.3
same slope for 2 miles(?)

350' E

N	14.6	282.2
cb	12.1	284.7
1/4	9.6	287.2
c	6.5	290.3
1/4	6.2	290.6
cb	6.3	290.5
S	5.1	291.7

296.84

Johnson

SECTION A

S	5.0	291.8
d	5.5	291.3
1/4	5.4	291.6
c	6.4	290.4
1/4	9.7	287.1
cb	12.7	284.1
N	14.9	281.9

SECTION B

N	16.6	280.2
cb	13.5	283.3
1/4	10.3	286.5
c	8.3	288.5
1/4	5.8	291.0
cb	5.4	291.6
S	5.0	291.8

PLOTTED

SECTION C

S	5.0	291.8
cb	5.0	291.8
1/4	6.0	290.8
c	8.8	288.0
1/4	10.8	286.0
cb	13.7	283.1
N	16.6	280.2

same slope

296.84

85' EAST OF SEC. C.

N	15.0	281.8
cb	12.2	284.6
1/6	10.2	286.6
c	7.5	289.3
1/4	5.9	290.9
cb	5.3	291.5
S	4.8	292.0

50' E

S	4.4	292.4
cb	4.7	292.1
1/6	5.3	291.5
c	6.2	290.6
1/4	9.2	287.6
cb	11.0	285.8
N	13.7	283.1

75' E

-R	17.7	break 279.1
N	18.9	283.9
cb	10.8	286.0
1/4	8.0	288.8
c	5.8	291.0
1/6	4.8	292.0
cb	4.5	292.3
S	4.0	292.8

296.84

100' E

S	3.9	292.9
cb	4.2	292.6
1/6	4.4	292.4
c	4.9	291.9
1/4	7.5	289.3
cb	10.4	286.4
N	15.7	281.1

125' E

N	11.1	285.7
cb	8.2	288.6
1/6	6.2	290.6
c	4.7	292.1
1/4	3.9	292.9
cb	3.7	293.1
S	3.5	293.3

150' E

S	3.2	293.6
cb	3.5	293.3
1/6	3.7	293.1
c	4.3	292.5
1/4	5.4	291.4
cb	7.2	289.6
N	9.5	287.8

Johnson

296.84

175' E

N	7.9	288.9
cb	6.0	290.2
1/4	4.6	292.2
c	3.8	293.0
1/4	3.3	293.5
cb	2.9	293.9
S	2.8	294.0

200' E

S	2.1	294.7
cb	2.5	294.3
1/4	2.7	294.1
c	3.3	293.5
1/4	4.1	292.7
cb	5.0	291.8
N	6.2	290.6

T.P.

4.74 299.18

2.40 294.44

Sec. D

N	6.8	292.4
cb	6.1	293.1
1/4	5.6	293.6
c	5.2	294.0
1/4	4.7	294.5
cb	4.4	294.8
S	4.1	295.1

299.18

Johnson

25' E

S	3.6	295.6
cb	4.0	295.2
1/4	4.4	294.8
c	4.8	294.4
1/4	5.0	294.2
cb	5.6	293.6
N	6.3	292.9

50' E

N	6.3	292.9
cb	5.5	293.7
1/4	5.0	294.2
c	4.5	294.9
1/4	4.1	295.1
cb	3.6	295.6
S	3.4	295.8

75' E

S	3.5	295.7
cb	3.9	295.3
1/4	4.2	295.0
c	4.4	294.8
1/4	4.4	294.8
cb	5.3	293.9
N	6.1	293.1

299.18

Sec. E

N	6.5	292.7
cf	5.2	294.0
1/4	4.9	294.3
c	4.3	294.9
1/4	3.9	295.3
cf	3.7	295.5
S	3.2	296.0

25' E

S	3.0	296.2
cf	3.5	295.7
1/4	4.1	295.1
c	4.5	294.7
1/4	4.9	294.3
cf	5.2	294.0
N	6.4	292.8

50' E

N	5.8	293.4
cf	5.0	294.2
1/4	4.7	294.5
c	4.3	294.9
1/4	3.8	295.4
cf	3.5	295.7
S	2.6	296.6

299.18

Johnson

75' E

S	2.2	297.0
cf	3.1	296.1
1/4	3.9	295.3
c	4.3	294.9
1/4	4.8	294.4
cf	5.0	294.2
N	5.9	293.8

100' E

N	5.8	293.4
cf	5.1	294.1
1/4	4.7	294.5
c	4.3	294.9
1/4	3.7	295.5
cf	3.3	294.9
S	2.5	296.7

125' E

S	2.8	296.4
cf	3.3	295.9
1/4	3.7	295.5
c	4.2	295.0
1/4	4.7	294.5
cf	4.7	294.5
N	5.2	294.0

PLOTTED

PLOTTED

299.18

150' E

X	4.8	294.4
ct	4.3	294.9
1/4	4.7	294.5
c	4.2	295.0
1/4	3.6	295.6
ct	3.2	296.0
S	2.8	296.4

175' E

S	3.7	296.5
ct	3.1	296.1
1/4	3.8	295.4
c	4.0	295.2
1/4	4.5	294.7
ct	4.5	294.7
N	5.0	294.2

PLOTTED

Sec F

N	5.1	294.1
ct	4.5	294.7
1/4	4.2	295.0
c	3.7	295.5
1/4	3.6	295.6
ct	3.1	296.1
S	2.9	296.3

299.18

25' E

S	2.5	296.7
ct	3.0	296.2
1/4	3.7	295.5
c	4.1	295.1
1/4	4.6	294.6
ct	5.0	294.2
N	5.6	293.6

50' E

N	5.5	293.7
ct	5.1	294.1
1/4	5.1	294.1
c	4.5	294.7
1/4	3.8	295.4
ct	3.4	295.8
S	2.8	296.4

PLOTTED

75' E

S	3.2	296.0
ct	3.5	.7
1/4	3.6	
c	4.7	294.5
1/4	5.0	
ct	5.3	
N	5.7	293.5

Johnson

29918
 T.P. 4.01 296.36 683 292.35
 Sec G

N	2.7	293.7
dr	2.3	291.1
1/4	2.1	294.3
C	1.7	294.7
1/4	0.7	295.7
dr	0.5	295.9
S	0.1	296.3

Sec H

S	0.2	296.2
dr	0.6	295.8
1/4	0.8	295.6
C	1.9	294.5
1/4	2.2	299.2
dr	2.4	294.0
N	2.7	293.7

PLOTTED

Sec I

N	2.7	293.7
dr	2.5	293.9
1/4	2.2	294.2
C	2.0	294.4
1/4	0.9	295.5
dr	0.6	295.8
S	0.3	296.1

29636

Johnson

R5' E

S	0.4	296.0
dr	1.0	295.3
1/4	1.3	295.1
C	2.1	294.3
1/4	2.4	294.0
dr	2.4	294.0
N	4.8	291.6

50' E

N	5.3	291.1
dr	3.3	293.1
1/4	2.8	293.6
C	2.2	294.2
1/4	2.3	294.1
dr	1.6	294.8
S	1.3	295.1

PLOTTED

Sec J

S	1.4	294.6
dr	1.8	294.6
1/4	2.4	294.0
C	2.4	292.0
1/4	2.7	293.7
dr	3.7	292.7
N	6.6	294.8

296.36

Sec K

N	7.7	288.7
cb	4.2	292.2
1/4	2.8	293.6
c	2.6	293.8
1/4	2.4	294.0
cb	1.8	294.6
S	1.8	294.6

Sec L

S	1.8	294.6
cb		294.6
1/4	2.5	292.9
c	2.6	293.8
1/4	3.4	293.0
cb	4.6	291.8
N	7.7	288.7

85' E

N	8.0	288.4
cb	6.0	290.4
1/4	4.0	292.4
c	3.5	292.9
1/4	3.2	293.2
cb	2.4	294.0
S	2.2	294.2

PLOTTED

296.36

Johnson

50' E

S	2.6	293.8
cb	2.6	293.8
1/4	3.8	292.6
c	4.5	291.9
1/4	5.7	290.7
cb	7.4	289.0
N	11.0	285.4

75' E

N	12.8	283.6
cb	8.3	288.1
1/4	6.6	289.8
c	5.3	291.1
1/4	4.3	292.1
cb	3.2	293.2
S	2.1	294.3

PLOTTED

100' E

S	2.8	293.6
cb	3.4	293.0
1/4	3.7	292.7
c	4.8	291.6
1/4	6.1	290.3
cb	8.0	288.4
N	11.0	285.4

296.36

125' E

N	11.9	284.5
ct	7.8	288.6
1/6	4.9	291.5
c	3.2	292.2
1/4	2.5	293.9
ct	2.0	294.4
S	1.8	294.6

150' E

S	1.0	296.4
ct	1.1	295.3
1/6	2.1	294.3
c	2.7	293.7
1/4	4.4	292.0
ct	8.4	288.0
N	13.1	283.3

175' E

N	11.2	285.4
ct	6.0	290.4
1/6	2.8	293.6
c	1.9	294.5
1/4	1.3	295.1
ct	1.2	295.2
S	0.5	295.9

PLOTTED

296.36

Sec M

S	0.4	296.0
ct	0.7	295.7
1/6	1.3	295.1
c	1.6	294.8
1/4	2.5	293.9
ct	7.1	289.3
N	11.2	285.2

SAME SLOPE FOR 100

Sec N

N	13.2	283.2
ct	9.1	287.3
1/6	3.7	292.7
c	1.5	294.9
1/4	1.3	295.1
ct	0.8	295.6
S	0.4	296.0

PLOTTED

Sec O

S	0.4	296.0
ct	0.8	295.6
1/6	1.3	295.1
c	1.5	294.9
1/4	2.7	293.7
ct	7.4	289.0
N	11.2	285.2

Johnson

T.P.

5.35

296.36

301.51

0.20

296.16

25' E

N

11.7

289.8

ct

7.6

293.9

1/4

6.1

295.4

c

5.8

295.7

1/4

5.6

295.9

ct

5.6

295.9

S

5.1

296.4

50' E

S

4.4

297.1

ct

5.5

296.0

1/4

5.1

296.4

c

5.5

296.0

1/4

5.7

295.8

ct

6.0

295.5

N

7.1

294.4

75' E

N

5.8

295.7

ct

5.5

296.0

1/4

5.7

295.8

c

5.4

296.1

1/4

5.0

296.5

ct

5.1

296.4

S

4.4

297.1

301.51

Johnson

100' E

S

4.1

297.4

ct

4.6

296.9

1/4

4.5

299.0

c

4.7

296.8

1/4

5.2

296.3

ct

4.9

296.6

N

4.7

296.8

125' E

N

4.0

297.5

ct

4.2

297.3

1/4

4.5

297.0

c

4.1

297.4

1/4

4.4

297.1

ct

4.6

296.9

S

4.0

297.5

150' E

S

3.8

297.7

ct

4.0

297.5

1/4

4.1

297.4

c

4.2

297.3

1/4

4.2

297.3

ct

4.1

297.4

N

3.6

297.9

PLOTTED

PLOTTED

301.51

Johnson's

	Sec	P	
H		3.7	297.8
cl		4.1	297.4
1/4		4.1	297.4
c		4.1	297.4
1/4		4.1	297.4
cl		4.0	297.5
S		4.0	297.5

Sec Q = N.L. LINCOLN

S		4.0	297.5
cl		4.2	297.3
1/4		4.3	297.2
c		4.1	297.4
1/4		4.0	297.5
cl		4.2	297.3
H		3.6	297.9

PLOTTED

7/31/12 H
H
H

Curb levels in
Washington from
Albatross to Dove

Distance	Station	Reading	Correction	Station	Reading	Station
	176	278.80		S	277.0	Station
Wk. Albatross	183	276.27	1.82		276.28	277.00
25 W	35.5	275.25	3.49		275.31	275.34
50 W	52.8	273.62	5.14		273.66	273.67
75 W	68.7	271.93	6.85		271.95	272.0
100	84.8	270.32	8.50		270.32	270.34
125	101.7	268.63	10.17		268.63	268.67
130 alley	105.0	268.30				268.34
145 alley	115.4	267.26				267.33
150	118.3	266.97	11.87		267.00	
TP	121	267.87	11.99		266.86	grade
180	29.4	264.93	2.86		265.01	265.0
200	120	263.67	4.15		263.72	263.7
220	5.22	262.65	5.23		262.64	262.6
240	5.98	261.89	6.02		261.85	261.8
260	6.70	261.17				261.0
275 - Wk Brant	7.34	260.53	7.00		260.87	260.8
282.5			7.20		260.67	
300			8.35		259.52	
325			9.81		258.56	
350 ³⁴⁵ Wk Brant			10.25		257.62	259.0
25 W of "			12.14		257.73	258.6
45			10.02		257.85	257.5
65			9.86		258.27	257.4
85			9.54		258.33	257.6
95			9.20		258.67	257.5

on South side of Wash. from East line
of Brant to 100' W. of West line. The
curb and walk is out in the street
from 0.2 to 0.35

267.87

Distance	Station	Reading	Grade
125	8.58	259.29	259.13
150	8.14	259.73	259.34
175	7.75	260.12	259.97
200	7.35	260.52	260.38
225	7.00	260.87	260.78
240	6.73	261.14	261.1

240
Curb to line

7/26/12 H. H. H.

X Sec Madison Ave from
Park Blvd to Louisiana
14' curb, 13' quarters

Madison

BM Park Blvd - Madison

357.17

357.95

July 21/12

357.17

75' E

EH. Park Blvd

S

6.0

351.2

N

5.3

351.9

6.0

351.2

5.6

351.6

6.0

351.2

6.2

351.0

C

5.4

351.8

C

6.2

351.0

6.0

351.2

6.5

352.7

5.3

351.9

6.0

351.2

N

5.2

352.0

S

6.2

351.0

100' E

35' E

N

6.0

352.2

S

6.3

350.9

5.2

352.0

6.1

351.1

5.7

351.5

6.3

350.9

C

5.4

351.8

C

6.0

351.2

5.8

351.9

6.1

351.1

5.7

351.5

5.6

351.6

S

5.7

351.5

N

5.5

351.7

125' E

40' E

S

5.6

351.6

N

5.3

351.9

5.6

351.6

5.5

351.7

5.7

351.5

6.1

351.1

C

5.1

352.1

C

5.7

351.6

5.5

351.6

6.3

350.9

5.0

352.2

6.0

351.2

N

4.9

352.3

S

6.2

351.0

357.17

150' E

N	4.8	352.4
	4.8	352.4
	5.1	352.1
C	4.5	352.7
	5.1	352.1
	5.2	352.0
S	5.2	352.0

175' E

S	5.1	352.1
	5.2	352.0
	5.4	351.8
C	4.7	352.5
	4.8	352.4
	4.6	352.6
N	4.5	352.7

200' E

N	4.4	352.8
	4.4	352.8
	4.9	352.3
C	4.7	352.5
	5.4	351.8
	5.1	352.1
C	5.2	352.0

357.17

225' E

S	5.0	352.2
	4.9	352.3
	5.2	352.0
C	4.6	352.6
	4.6	352.6
	4.4	352.8
N	4.3	352.9

250' E

N	4.1	353.1
	4.3	352.9
	4.9	352.3
C	4.7	352.5
	5.4	351.8
	4.9	352.3
S	4.9	352.3

275' E

S	4.9	352.3
	5.0	352.2
	5.3	351.9
C	4.6	352.6
	4.9	352.3
	4.4	352.8
N	4.1	353.1

35717
300' E = W.L. Georgia St.

N	4.5	352.7
cb	4.4	352.3
+5	4.6	351.6
1/2	4.6	351.6
a	5.5	351.7
1/2	5.7	351.5
cb	5.5	351.7
S	5.1	352.1

E.L. Georgia St.

S	5.9	351.3
	6.1	351.1
	6.7	350.5
C	6.4	350.8
	6.5	350.7
	5.9	351.8
N	5.5	351.7

35' E

N	5.7	351.5
	6.1	351.1
	7.0	350.2
C	6.5	350.7
	7.0	350.2
	6.8	350.4
S	6.6	350.6

Madison

35717
50' E

S	7.0	350.2
cb	6.8	350.4
+10	{ 6.5 7.5	{ 350.7 349.7
1/2	7.7	349.5
C	7.2	350.0
	7.4	349.8
	6.8	350.4
N	6.5	350.7

75' E

N	6.9	350.3
cb	7.0	350.2
+10	7.5	349.7
1/2	8.4	348.8
C	8.0	349.2
1/2	8.4	348.8
cb	7.7	349.5
S	7.9	349.3

100' E

S	9.1	348.1
	9.1	348.1
	9.4	347.8
C	9.0	348.2
1/2	{ 8.3 8.5	{ 347.9 348.7
	8.3	348.9

	357.7		
N		8.1	349.1
T.P.	071	349.28	860 348.57
	125° E		
N		1.5	347.8
cb		1.7	347.6
1/4		2.8	346.5
c		2.3	347.0
1/4		2.8	346.5
+3		2.0	347.3
cb		2.3	347.0
B		2.1	346.9
	150° E		
S		4.3	345.0
B		4.0	345.3
+10		3.9	345.4
1/4		4.4	344.9
c		3.5	345.8
1/4		3.8	345.5
cb		2.9	346.4
N		2.9	346.4
	175° E		
N		5.2	344.1
		5.5	343.8
		5.8	343.5
c		5.5	343.8

Madison

	349.28		
1/2		6.1	343.2
+3		6.0	343.3
cb		5.8	343.5
S		6.3	343.0
	200		
S		8.5	340.8
cb		8.0	341.3
+10		7.9	341.4
1/2		8.3	341.0
c		7.8	341.5
		8.2	341.1
		7.7	341.6
N		7.2	342.1
	225° E		
N		8.8	340.5
cb		8.3	341.0
+12		9.3	340.0
1/4		10.4	338.9
c		9.7	339.6
1/4		10.1	339.2
+3		9.9	339.4
cb		10.0	339.3
S		10.6	338.7

Florida St 60'

Madison

		349.28	
TP	176	339.12	11.92
		250' E	
S		3.1	336.0
cb		2.1	337.0
+10		1.5	337.6
1/4		2.1	337.0
		1.6	337.5
		2.0	337.1
		1.7	337.4
N		1.3	337.8
		275' E	
N		2.4	336.7
cb		2.6	336.5
+10		2.6	336.5
1/2		4.2	334.9
		3.5	335.6
		3.9	335.2
		4.0	335.1
S		4.7	334.4
		300' E	
S		6.2	332.9
		5.9	333.2
		6.1	332.0
		5.7	333.4
1/4		6.4	332.7

339.12

+3

cb

N

N

cb

+10

1/2

S

S

1/2

+3

cb

N

N

4.1

4.3

4.5

310' E = W 1/2 Florida St.

5.4

5.7

5.9

7.0

6.4

6.7

6.3

6.6

W cb.

7.9

7.6

7.6

6.9

7.2

6.3

6.4

6.2

W 1/4

7.3

7.6

7.5

335.0

334.8

334.6

333.7

333.4

333.2

332.1

332.7

332.4

332.8

332.5

331.2

331.5

331.5

332.2

331.9

332.8

332.7

332.9

331.8

331.5

331.6

33912

C	7.3	331.8
	8.0	331.1
S	8.6	330.5
	9.0	330.1
	Cr	
S	8.0	331.1
	8.1	331.0
	7.5	331.6
C	7.4	331.7
	7.3	331.8
	7.2	331.9
N	6.9	332.2
	E 1/2	
N	6.9	332.2
	7.4	331.7
	7.6	331.5
C	8.0	331.1
	8.2	330.9
	8.5	330.6
S	8.8	330.3
	E 1/2	
S	9.1	330.0
	9.2	329.9
	8.8	330.3
	8.6	330.5

33912

	8.1	331.0
	8.1	331.0
N	7.9	331.2
	E 1/2	
	9.2	329.9
	9.2	329.9
	9.0	330.1
	8.8	330.3
	9.4	329.7
	9.2	329.3
S	10.0	329.1
	E 1/2 Florida St.	
	10.4	328.7
	11.2	327.9
	10.6	328.5
	9.6	329.5
	10.1	329.0
	8.6	330.5
	8.8	330.3
	9.4	329.7
	25' E	
	10.5	328.6
	10.6	328.5
	10.4	328.7
	10.3	328.8

339.12

	11.1	328.0
	11.8	327.8
S	11.3	327.8

50'E

S	11.4	327.7
	11.2	327.9
	11.2	327.9

C

	10.7	328.4
	11.1	328.0
	11.0	328.1

N

	10.6	328.5
--	------	-------

75'E

N	9.1	330.0
---	-----	-------

cb

	9.1	330.0
--	-----	-------

+6

	9.6	329.5
--	-----	-------

1/4

	11.1	328.0
--	------	-------

	10.7	328.4
--	------	-------

	11.0	328.1
--	------	-------

	11.2	327.9
--	------	-------

S

	10.1	329.0
--	------	-------

100'E

S

	11.4	327.7
--	------	-------

	11.1	328.0
--	------	-------

	11.0	328.1
--	------	-------

	10.5	328.6
--	------	-------

Madison

339.12

	10.8	328.3
--	------	-------

	10.7	328.4
--	------	-------

	10.5	328.6
--	------	-------

N

125'E

N

	10.3	328.8
--	------	-------

	10.1	329.0
--	------	-------

	10.6	328.5
--	------	-------

	10.3	328.8
--	------	-------

	10.7	328.4
--	------	-------

	10.7	328.4
--	------	-------

	10.7	328.4
--	------	-------

150'E

	10.4	328.7
--	------	-------

	10.3	328.8
--	------	-------

	10.7	328.4
--	------	-------

	10.1	329.0
--	------	-------

	10.5	328.6
--	------	-------

	9.5	329.6
--	-----	-------

	9.4	329.7
--	-----	-------

	9.4	329.7
--	-----	-------

175'E

	9.6	329.5
--	-----	-------

	9.5	329.6
--	-----	-------

	9.8	329.3
--	-----	-------

	10.3	328.8
--	------	-------

+3

cb

N

N

cb

+10

1/4

33912

C	9.8	329.3
	10.4	328.7
	10.2	328.9
S	10.6	328.5

200'E

S	10.6	328.5
	9.8	329.3
	10.1	329.0
C	9.6	329.5
	9.9	329.2
	9.5	329.6
N	9.5	329.6

225'E

N	9.3	329.8
	9.5	329.6
	9.8	329.3
C	9.5	329.6
	9.8	329.3
	9.9	329.2
S	10.1	329.0

250'E

S	10.3	328.8
	9.7	329.4
	10.0	329.1
C	9.3	329.8

33912

	9.6	329.5
	9.4	329.7
N	8.2	330.9

275'E

	8.0	331.1
	8.0	331.1
	9.0	330.1
C	8.7	330.4
	9.5	330.6
	8.0	331.1
S	8.2	330.9

310'E = Wh. Alabama

	8.1	331.0
	8.4	330.7
	8.4	330.7
C	8.0	331.1
	8.1	331.0
	7.4	331.7
N	6.9	332.2

FP. 12.14 344.14 NW ch Return

FL Alabama

	7.2	332.00
	12.0	332.1
	12.2	331.9
	13.1	331.0
	12.8	331.3

51414

	13.5	330.6
S	13.6	330.5
	13.9	330.7
	25'E	
S	12.9	321.2
	12.0	331.1
	12.8	331.3
Q	12.1	332.0
	12.6	331.5
	11.8	332.3
N	11.6	332.5
	50'E	
N	11.1	333.0
	11.3	332.8
	12.1	332.0
C	11.5	332.6
	12.3	331.7
	12.1	332.0
S	12.4	331.7
	75'E	
S	10.2	333.9
	11.6	332.5
	11.8	332.3
C	11.1	333.0
	11.5	332.6

Madison

344.14

	10.6	333.5
N	10.3	333.8
	100'E	
N	9.6	334.5
	9.7	334.4
	10.8	333.3
C	10.4	333.7
	10.6	333.5
	11.1	333.0
S	11.5	332.6
	125'E	
S	9.9	334.2
	10.7	333.4
	10.0	334.1
C	9.7	334.4
	10.0	334.1
	9.1	335.0
N	8.8	335.3
	150'E	
N	8.2	335.9
	8.4	335.7
	9.0	335.1
	9.0	335.1
	9.4	334.7
	9.1	335.0

	344.14		
S		9.5	334.6
	175'E		
S		8.9	335.2
		8.6	335.5
		9.1	335.0
C		8.5	335.6
		8.7	335.4
		7.9	336.2
N		7.9	336.2
	200'E		
N		7.2	336.9
		7.5	336.6
		8.3	335.8
C		8.1	336.0
		8.5	335.6
		8.1	336.0
S		8.0	336.1
	225'E		
S		7.4	336.7
		7.2	336.9
		7.9	336.2
C		7.5	336.6
		7.9	336.2
		6.8	337.3
N		6.5	337.6

	344.14		
	250'E		
N		6.9	338.2
		6.3	337.8
		7.1	337.0
C		7.0	337.1
		7.2	336.9
		6.8	337.3
S		6.9	337.2
	275'E		
S		6.7	337.4
		6.4	337.7
		6.9	337.2
C		6.4	337.7
		6.8	337.3
		5.7	338.4
N		6.5	338.6
	300'E = Wh. Mississippi St.		
N		5.0	339.1
		5.2	338.9
		6.6	337.5
C		5.9	338.2
		6.4	337.7
		6.2	337.9
S		6.3	337.8

34414
wcb

S	5.9	338.2
	5.8	338.3
	6.1	338.0
C	5.8	338.3
	6.2	337.9
	4.9	339.2
N	4.7	339.4
	w/a	
N	4.9	339.2
	6.1	339.0
	5.6	338.5
C	5.6	338.5
	5.8	338.3
	5.4	338.7
S	5.6	338.5
	cr	
S	5.1	339.0
	5.1	339.0
	5.6	338.5
C	5.3	338.8
	4.7	339.4
	4.3	339.8
N	4.2	339.9

Mackean

34414
E/a

N	4.5	339.6
	4.9	339.2
	5.2	338.9
e	4.8	339.3
	5.2	338.9
	4.5	339.6
S	5.3	338.8
	Ed	
S	4.0	340.1
cb	2.9	341.2
+10	3.0	341.1
1/a	5.2	338.9
	4.4	339.7
	4.6	339.5
	3.7	340.4
N	3.8	340.3
	Fl	
N	3.4	340.7
	3.4	340.7
	4.3	339.8
C	4.2	339.9
	4.8	339.3
1/a	3.4	340.7
+3	2.3	341.8
cb		

	344.14		
S		3.1	341.0
	25'E		
S		4.5	339.6
		3.8	340.3
		4.6	339.5
C		3.8	340.3
		3.7	340.4
		3.1	341.0
A		3.0	341.1
	60'E		
N		2.8	341.3
		2.8	341.3
		3.4	340.7
O		3.3	340.8
		4.1	340.0
		4.0	340.1
S		3.2	340.9
	75'E		
S		3.2	340.9
		3.8	340.3
		3.7	340.4
C		2.7	341.4
		3.2	340.9
		2.3	341.8
N		2.3	341.8

	344.14		
	100'E		
N		1.9	342.2
		1.9	342.2
		2.7	341.4
C		2.4	341.7
		3.1	341.0
		3.3	340.8
S		3.5	340.6
	125'E		
S		0.8	343.3
		1.4	342.7
		2.8	341.3
C		2.2	341.9
		2.0	342.1
		1.4	342.7
N		1.9	342.7
	150'E		
N		0.9	343.2
		0.9	343.2
		1.9	342.2
C		1.9	342.2
		2.0	342.1
		1.7	342.4
S		2.3	341.8

34414

175' E

S	2.1	342.0
	1.6	342.5
	1.7	342.4
C	1.5	342.6
	1.7	342.6
	0.9	343.2
N	0.4	343.7

200' E

N	0.5	343.6
	0.9	343.2
	1.7	342.4
C	1.0	343.1
	1.5	342.6
	1.6	342.5
S	1.9	342.2

225' E

S	1.6	342.5
	1.4	342.7
	1.4	342.7
C	1.0	343.1
	1.5	342.6
	1.0	343.1
N	0.8	343.3

347.56

Madison

344.14

250' E

N	0.7	343.5
	1.2	342.9
	1.6	342.5
C	0.9	343.2
	1.5	342.6
	1.2	342.9
S	1.6	342.5

TR 498 347.56 156 342.58
 Mt. Mission Drive
 277.0E = Intersection of Madison with

S	4.9	342.7
	4.8	342.8
	4.8	342.8
C	4.4	343.2
	4.8	342.8
	4.3	343.3
N	4.2	343.4

330' on north, 277' on south

N	4.2	343.4
	4.2	343.4
	5.0	342.6
C	4.4	340.2
	5.0	342.6
	4.9	342.7
S	4.9	342.7


10/ Hatch
 11/ Moore - Sec Main St
 12/ Hall Division St

Dist. 227 ft
 0995 39.63
 EX. C. 58.685

W. 1/2

S	0.8	38.8
cb	1.7 2.2	
1/4	1.4	
c	0.8	38.8
1/2	0.7	
cb	0.7	
+2	0.1	
N	+0.3	39.9
	W. 1/2	
N	0.3	39.3
cb	0.8	
1/4	1.0	
c	1.2	38.4
1/2	1.7	
cb	2.4 1.8	
S	1.0	38.6
	W. 1/2	
S	2.8	36.8
cb	3.5	
1/4	2.4	
c	1.7	37.9
1/2	1.5	
cb	1.0	

PLOTTED



PLOTTED

	39.63		
N	0.6	39.0	
cr.			
N	1.1	38.5	
cb	1.4		
	2.0		
1/4	2.2		
c	2.9	37.7	
1/4	3.3		
cb	1.1		
+7	5.0		
S.	2.5	37.1	
	F 1/2		
S	3.5	36.1	
+5	5.6		
cb	5.1		
+4	5.9		
1/4	4.5		
c	3.3	36.3	
1/4	3.1		
cb	2.8		
	1.3		
N	1.7	37.9	
	F cb.		
N	1.6	38.0	
cb	1.0		
	3.8		
1/4	3.8		
c	4.0	35.6	

PLOTTED

	39.63		
1/4	5.0	34.6	
+10	6.0		
cb	5.5		
+11	5.7		
S	3.4	36.2	
	Sec A		
S	5.1	34.5	
+A	7.0		
cb	6.6		
+7	6.9		
1/4	5.9		
c	4.8	34.8	
1/4	4.7		
+12	4.5		
cb	1.0		
N	2.5	37.1	
	F 32		
N	1.9	37.7	
cb	1.2		
	3.4		
1/4	4.7		
c	4.9	34.7	
1/4	6.0		
+8	6.9		
cb	6.6		
+13	7.0		
S	5.1	34.5	

PLOTTED

3963

Sec B

s	5.1	34.5
+4	7.2	
cb	6.9	
+4	7.9	
1/2	6.8	
c	6.2	33.4
1/2	6.1	
cb	6.3	
+8	2.1	
N	2.8	35.1
	Sec C = 548.9 W of Pluto	
N	4.4	35.2
+12	3.1	
	7.1	
cb	7.8	
1/2	6.9	
c	6.7	32.9
1/2	7.2	
+6	7.7	
cb	7.0	
+11	7.0	
s	5.1	34.5
	525 W	
s	7.2	32.4
+3	8.4	

PLOTTED

3963

cb	9.0	
1/2	8.8	
c	8.4	31.2
1/2	8.7	
cb	8.9	
+1	5.1	
+8	4.1	
N	4.8	34.8
	500 W	
N	6.7	31.9
+5	6.1	
+12	7.1	
cb	10.1	
1/2	10.3	
c	9.8	29.8
1/2	10.1	
cb	10.1	
+11	10.3	
s	8.8	30.8
	475 W	
s	9.3	30.3
+3	10.3	
cb	11.4	
1/2	11.4	
c	11.1	28.5

PLOTTED

363

1/4	11.5	
cb	11.5	
+2	10.6	
N	11.0	28.6

450' W

PLOTTED

N	14.9	24.7
cb	12.1	
1/2	12.6	
c	12.2	27.4
1/2	12.5	
cb	12.3	
+6	12.8	
S	9.1	30.5

425' W

S	10.9	28.7
+6	13.3	
TO	0.58	27.91
cb	12.80	27.33
1/2	2.2	
1/2	2.1	
c	1.8	26.1
1/4	2.3	
cb	2.6	
+6	4.4	
N	8.6	19.3

2791
450' W

20 N	17.3	
N	15.3	12.6
+5	14.7	
cb	8.6	
+7	4.0	

PLOTTED

1/2	3.6	
c	3.2	24.7
1/2	3.6	
cb	4.0	
+7	3.8	
S	+1.3	29.2

375' W

S	7.7	20.2
cb	6.0	
1/2	5.0	
c	4.6	23.3
1/2	5.1	
+7	5.8	
cb	9.6	
N	18.0	9.9
20 N	19.5	

350' W

20 N	19.0	
N	19.0	8.9
cb	10.2	

27.91

+6	7.0	
1/4	6.7	
c	6.3	21.6
1/4	6.6	
+7	7.2	
cb	11.5	
s	15.3	12.6
15' S	14.6	

PLOTTED

325' W

s	19.7	
s	19.7	8.2
cb	11.0	
+5	8.1	
1/4	7.8	
c	7.5	20.4
1/2	8.0	
+5	8.3	
cb	13.4	
N	19.1	8.8
15' N	17.7	

300' W

15' X	17.6	
X	17.0	-10.3
+8	17.5	
cb	12.0	

27.91

+7	9.7	
1/4	9.3	
c	8.8	19.1
1/4	9.2	
+8	9.8	
cb	12.2	
+9	22.5	
s	22.0	5.9
25' S	22.0	

PLOTTED

221

18.76 11.36 16.55

275' W

20' S	13.6	
s	12.6	6.2
+8	10.1	
cb	5.7	
+7	1.2	
1/2	1.0	
c	0.6	18.2
1/2	1.1	
cb	2.9	
+3	4.2	
N	3.8	15.0

250' W

N	0.0	18.8
cb	1.9	
1/4	2.2	

	1876		
c		1.6	17.2
1/2		2.1	
+6		2.2	
cb		6.2	
+6	PLOTTED	8.8	
S		10.4	8.4
15-S		13.4	
	225' W		
15-S		11.2	
S		7.2	11.6
cb		6.5	
+6		3.0	
1/2		3.2	
c		2.9	15.9
1/2		3.2	
ab		3.3	
N		4.1	12.7
	200' W		
X		1.3	14.5
cb		4.6	
1/2		4.2	
c		4.1	14.7
1/2		4.3	
+8		4.7	
cb		6.7	

	1876		
S		7.8	11.5
	175' W		
S		7.1	11.7
cb		7.1	
+4		5.7	
1/2	PLOTTED	5.6	
c		5.5	13.3
1/2		5.5	
cb		5.7	
N		5.3	13.5
	150' W		
N		6.5	12.3
cb		7.0	
1/2		6.6	
c		6.5	12.3
1/2		6.7	
+10		6.9	
cb		7.9	
+7		8.6	
S		7.8	11.0
	125' W		
S		9.1	9.7
cb		9.3	
+8		8.2	
1/2		8.0	

1876

c		7.4	11.4
1/4		7.6	
cb		7.1	
N		6.4	12.4
	100 W		
N		7.3	11.5
cb		7.2	
+5		8.1	
1/4		8.3	
c		8.1	10.7
1/4		8.7	
+10		9.0	
cb		10.3	
s		10.0	8.8
	100 W		
s		10.9	7.9
cb		10.7	
+3		9.5	
1/4		9.2	
c		8.6	10.2
1/4		8.7	
+6		9.0	
cb		7.3	
		7.8	
N		10.8	8.0
12 N		14.4	

PLOTTED

1876

85 W

20 N		31.0	
N		19.0	-0.2
cb		12.4	
+5		9.7	
1/4		9.5	
c		9.4	9.4
1/4		9.8	
+9		10.1	
cb		12.4	
+7		12.2	
s		9.2	9.6
	75 W		
15		12.6	6.2
+7		14.1	
cb		12.5	
+4		10.5	
1/4		10.3	
c		10.1	8.7
1/4		10.1	
+6		10.5	
cb		15.0	
N		19.5	
20 N		20.0	-1.2
		21.6	

PLOTTED

10/2/12

1876
50 W

20' N	21.2		
N	20.6	- 1.8	
+9'	17.7		
cb	16.3		
TP Nail in Pole 128	1028	9.66	9.10
+7	3.2		
1/4	2.6		
c	2.8	17.6	
1/4	2.9		
+9	3.1		
cb	5.4		
+8	9.8		
s	10.4	6.0	
20	11.0		
	25 W		
20	12.5		
s	11.4	- 1.0	
+7	10.3		
cb	6.3		
+4	4.3		
1/4	4.0		
c	3.7	6.7	
1/4	3.5		
+6	4.6		
cb	8.6		

PLOTTED

1028

+6	125	
N	128	- 2.4
20' N	127	
wh	Pluto	
20 N	124	
N	126	- 2.2
+10	121	
cb	93	
+8	50	
1/2	4.6	
c	4.7	5.7
1/2	4.8	
+10	5.3	
cb	80	
+6	10.5	
c	11.5	- 1.1
20 S	11.8	
	wh cb	
20	121	
s	11.7	- 1.3
+9	10.2	
cb	7.7	
+5	5.4	
1/2	5.1	
c	5.0	5.4

PLOTTED

1938

1/2	5.1	
+5	5.7	
cb	10.4	
+4	12.6	
N	12.8	- 2.4
30 N	13.3	
	W 1/4	
30 N	13.5	
N	13.6	- 3.2
+12	13.6	
cb	12.0	
+5	10.0	
1/4	5.8	
c	5.4	5.0
1/2	5.4	
+7	5.6	
cb	8.4	
+4	11.3	
8	11.9	- 1.5
20's	11.9	
	Cr. on Bulkhead line	
20's	14.3	
5	14.3	- 3.9
cb	14.3	
1/4	5.4	
	14.3	

PLOTTED

1938

cr	5.4	5.0
	14.0	- 3.6
1/2	5.8	
	14.0	
cb	13.4	
N	13.9	- 3.5
30 N	13.6	
	E 1/4	
30 N	13.1	
N	12.9	- 2.5
cb	14.2	
1/2	14.1	
c	14.5	- 4.1
1/2	14.7	
cb	14.8	
5	15.0	- 4.6
20's	14.9	
770	400	632
	806	2320
	50 ft of Plots	
15's	8.3	
5	8.2	- 1.9
+7	7.7	
cb	6.0	
+8	2.5	
1/2	2.1	
c	2.1	4.2
1/4	2.4	

PLOTTED

See BK 843 p. 45
pre.

632

+3		27	
cb		9.1	
+3		10.2	
+7		9.0	
N		9.0	- 2.7
15 N		87	
	75' E		
N		86	
N		79	- 1.6
cb		81	
+10		85	
1/4		81	
c		2.6	3.7
1/4		2.8	
+6		2.3	
cb		66	
+7		88	
5		89	- 2.6
15'S		90	
	100' E		
10'S		90	
5		90	- 2.7
+10		84	
cb		65	
+7		3.8	
1/4		3.5	

PLOTTED

632

c		30	3.3
1/4		35	
+5		40	
cb		87	
+3		10.1	
+8		8.5	
N		81	- 1.8
10 N		84	
	125' E		
10 N		86	
N		84	- 2.1
+11		94	
cb		84	
+8		40	
1/4		3.5	
c		3.3	3.0
1/4		37	
+7		45	
cb		72	
+7		87	
5		90	- 2.7
10'S		90	
	150' E		
10'S		87	
5		87	- 2.4

PLOTTED

632

+ +7	84	
c cb	70	
+ +6	46	
1/4	39	
15 c	36	2.7
1/4	40	
+5	47	
+11	84	
c cb	89	
+ N	79	-1.6
10 N	79	
	175' E	
10 N	79	
N	77	-1.4
cb	80	
+6	53	
1/4	43	
c	39	2.4
1/2	43	
+7	50	
cb	81	
+5	89	
S	89	-2.6
10 S	88	

PLOTTED

632

200' E

10 S	90	
S	90	-2.7
+10	87	
cb	76	
+6	52	
1/4	44	
c	40	2.3
1/4	45	
+7	55	
cb	86	
+2	93	
+7	76	
N	77	-1.4
10 N	78	
	225' E	
10 N	76	
N	75	-1.2
+7	84	
cb	84	
+6	56	
1/2	47	
c	42	2.1
1/4	44	
+8	64	

PLOTTED

	632		
cb		79	
+3		88	
S		91	-2.8
10'S		92	
	250'E		
10'S		91	
S		90	-2.7
+11	PLOTTED	86	
cb		82	
+6		53	
1/4		46	
c		41	2.2
1/4		47	
+9		59	
cb		80	
+3		92	
+7		95	
N		76	-1.3
10 N		75	
	275'E		
10'N		76	
N		93	-3.0
cb		84	
+6		56	
1/4		47	

	632		
c		41	2.2
1/4		47	
+5		55	
cb		87	
+3		93	
S		100	-3.7
10'S		90	
	300'E		
10'S		91	
S		101	-3.8
+12	PLOTTED	96	
cb		87	
+5		56	
1/4		47	
c		42	2.1
1/4		47	
+9		56	
cb		83	
+4		92	
N		84	-2.1
10 N		76	
	325'E		
10 N		81	
N		92	-2.9
+12		91	

632

cb	8.3	
+5	5.6	
1/4	4.7	
c	4.3	2.0
1/4	5.0	
+5	5.8	
cb	9.4	
s	10.0	-3.7
10 s	9.1	
	350'E	
10 s	10.7	
s	10.5	-4.2
cb	9.8	
+8	5.9	
1/4	5.0	
c	4.2	2.1
1/4	4.7	
+9	5.3	
cb	8.6	
+4	9.1	
N	8.3	-2.0
10 N	9.2	
	375'E	
10 N	7.6	
N	7.5	-1.2

PLOTTED

632

73	8.8	
cb	8.8	
+5	5.3	
1/4	4.7	
c	4.2	2.1
1/4	4.9	
+8	5.9	
cb	9.4	
+2	10.2	
s	10.3	-4.0
10 s	10.1	
	400'E	
10 s	10.2	
s	10.2	-3.9
+12	9.9	
cb	9.2	
+5	6.0	
1/4	5.0	
c	4.4	1.9
1/4	4.8	
+6	5.3	
+11	5.6	
cb	9.1	
+5	9.0	
N	7.7	-1.4
10 N	7.7	

PLOTTED

632			
425'E			
10 N	7.7		
N	8.0	1.7	
+10	7.8		
cb	9.1		
+4	8.7		
+9	6.2		
1/4	1.9		
c	4.3	2.0	
1/2	5.1		
+6	5.9		
cb	8.4		
+2	9.4		
+10	9.8		
S	9.3	-3.0	
10 S	9.0		
450'E			
10 S	8.9		
S	8.8	-2.5	
+5	9.5		
+10	9.5		
cb	7.3		
+5	5.8		
1/4	4.8		
c	4.2	2.1	

PLOTTED

632			
1/2	4.7		
+5	5.1		
+10	8.6		
cb	9.0		
+6	7.5		
N	7.9	-1.6	
10 N	7.8		
475'E			
10 N	7.7		
N	7.6	-1.2	
+5	7.8		
+8	9.5		
cb	8.9		
+6	5.4		
1/2	4.7		
c	4.2	2.1	
1/4	4.8		
+9	6.2		
cb	8.1		
S	8.7	-2.4	
10 S	8.7		
500'E			
10 S	8.7		
S	8.6	-2.3	
+7	7.8		

PLOTTED

532

cb		70	
+6		52	
1/4		47	
c		41	2.2
1/4		47	
+8		55	
cb		78	
+7		91	
N		89	-2.6
10 N		81	
	525 E		
10 N		82	
N		90	-2.7
+7		88	
cb		76	
+7		52	
TP	406	5.95	1.43
1/4		43	1.89
c		38	2.1
1/4		45	
+7		53	
cb		79	
s		85	-2.5
10's		96	

PLOTTED

595

550 E

		10's	86	
		c	87	-2.7
		+12	86	
		cb	79	
		+6	54	
		1/4	45	
		c	38	-2.2
		1/4	43	
		+7	49	
		cb	74	
		+5	83	
		N	85	-2.5
		10 N	83	
		10 N	82	
		N	80	-2.0
		cb	72	
		+6	47	
		1/4	43	
		c	39	2.1
		1/4	46	
		+8	54	
		cb	80	
		s	85	-2.5
		10's	84	

575 E

PLOTTED

595
600 E = W. Rigel

10's	84	
s	84	-2.4
cb	79	
+6	53	
1/2	46	
c	4.0	2.0
1/2	4.5	
+7	49	
cb	7.0	
N	83	-2.3
10'N	79	
10N	77	
N	82	-2.2
cb	7.0	
+5	50	
1/2	46	
c	4.1	1.0
1/2	4.6	
+8	54	
cb	7.7	
s	83	-2.3
10's	83	

PLOTTED

w cb

595
N 1/4

10's	82	
s	83	-2.3
cb	79	
+7	54	
1/2	47	
c	4.2	1.8
1/2	4.6	
+8	52	
cb	7.1	
N	81	-2.1
10'N	81	
10N	80	
N	81	-2.1
+9	77	
cb	72	
+6	50	
1/2	45	
c	4.2	1.8
1/2	4.8	
+7	55	
cb	76	
s	83	-2.3
10's	82	

PLOTTED

cr.

596

E 1/4

10's	82	
S	82	-2.2
cb	79	
+6	55	
1/4	48	
c	42	1.5
1/4	46	
+7	51	
cb	73	
N	80	-2.0
10'N	78	
Ecb		
10'N	81	
N	81	-2.1
cb	75	
+6	50	
1/4	44	
c	43	1.7
1/4	48	
+7	56	
cb	79	
S	81	-2.1
10's	81	

PLOTTED

596

Eh Rigel

10's	80	
S	82	-2.2
cb	78	
+6	55	
1/4	47	
c	41	1.9
1/4	43	
+7	49	
cb	74	
N	82	-2.2
10'N	78	
25'E		
10'N	79	
N	80	-2.0
cb	74	
+7	50	
1/4	46	
c	42	1.5
1/4	47	
+7	55	
cb	78	
S	81	-2.1
10's	80	

PLOTTED

595
50'E

10's	7.9	
s	8.0	-2.0
cb	7.7	
+5	5.5	
1/2	4.7	
c	4.1	1.9
1/4	4.5	
+7	5.1	
cb	7.5	
N	7.9	-1.9
10'N	7.5	
	7.5	
10'N	7.3	
N	8.0	-2.0
cb	7.5	
+8	5.0	
1/2	4.4	
c	4.0	2.0
1/4	4.7	
+8	5.6	
cb	7.6	
s	7.9	-1.9
10's	7.9	

PLOTTED

75'E

595
100'E

10's	7.9	
s	7.9	-1.9
cb	7.6	
+5	5.5	
1/2	4.6	
c	4.0	2.0
1/4	4.6	
+8	5.2	
cb	7.8	
N	7.8	-1.5
10'N	7.6	
	7.5	
10'N	7.5	
N	7.6	-1.6
cb	7.5	
+6	5.1	
1/2	4.6	
c	4.1	1.9
1/4	4.7	
+8	5.4	
cb	7.7	
s	7.9	-1.9
10's	7.8	

PLOTTED

125'E

595
150'E

10's	80	
s	80	-2.0
cb	74	
+6	55	
1/0	47	
c	41	1.9
1/2	46	
+7	51	
cb	78	
N	77	-1.7
10'N	71	
	175'E	
10'N	68	
N	73	-1.3
cb	79	
+7	46	
1/0	45	
c	40	2.0
1/2	47	
+8	54	
cb	73	
9	80	-2.0
10's	85	

PLOTTED

595
200'E

10's	81	
s	81	-2.1
cb	77	
+4	52	
1/0	45	
c	40	2.0
1/2	49	
+7	46	
cb	82	
N	72	-1.2
10'N	67	
	225'E	
10'N	72	
N	74	-1.4
cb	80	
+6	46	
1/0	42	
c	37	2.3
1/2	43	
+8	50	
cb	77	
s	86	-2.6
10's	88	

PLOTTED

Track Cr. { 264.8 North line of st.
 318.8 South " "
 Right curve, ordinate
 of 1.4 of cr. of street

545
 250' E

PLOTTED

10'S		8.5	
S		8.9	-2.9
cb		8.4	
+5		4.7	
1/2		3.8	
C		3.4	2.6
1/4		3.9	
+8		4.2	
cb		7.5	
N		7.7	-1.7
10' N		7.2	
T10	354	6.30	3.19 2.76
		265' E	
10' N		8.5	
N		8.7	2.6
cb		5.7	
+6		4.0	
1/2		3.8	
C		3.6	2.7
1/4		3.8	
+7		4.6	
cb		8.4	
S		10.2	-3.9
10'S		9.1	

Top of Rail N. E - 3.00 Elev.
 W - 2.83 "
 S E - 2.80 "
 W - 2.60 "

630
 285' E

PLOTTED

10'S		9.0	
S		8.8	-2.5
+8		8.9	
cb		7.7	
+8		4.1	
1/2		3.5	
C		3.6	2.7
1/4		3.5	
+7		3.4	
cb		5.5	
N		7.8	-1.5
10' N		7.4	
		300' E	
10' N		8.0	
N		7.5	-1.2
cb		7.1	
+8		3.5	
1/2		3.7	
C		3.3	3.0
1/4		3.9	
+6		3.9	
cb		7.7	
S		7.4	-2.1
10'S		8.8	

630
318'E

10'S	36	
S	36	2.7
cb	45.8	
	38.5	
+10	39	
1/4	36	
c	35	2.8
1/4	38	
+5-	38	
cb	7.5	
N	8.0	-1.7
10'N	7.9	

PLOTTED

335'E

10'S	7.4	
S	9.0	-2.7
cb	8.2	
+6	4.2	
1/4	3.8	
c	3.2	3.1
1/4	3.9	
+4	4.1	
cb	7.7	
N	7.7	-1.4
10'N	7.7	

630
350'E

10'N	7.4	
N	7.5	-1.2
cb	7.7	
+7	4.2	
1/4	4.0	
c	3.5	2.8
1/4	4.0	
+6	4.8	
cb	8.1	
S	8.6	-2.3
10'S	8.5	

PLOTTED

375'E

10'S	8.6	
S	8.4	-2.1
cb	8.0	
+7	5.1	
1/4	4.2	
c	3.6	2.7
1/4	4.2	
+6	4.4	
cb	7.0	
N	7.6	-1.3
10'N	7.3	

630
400'E

10'N 7.5
N 7.5 -1.2
cb 7.4
+6 4.4
1/4 4.2
c 3.7 2.6
1/4 4.6
+7 5.1
cb 8.0
S 5.4 -2.1
10'S 8.4

PLOTTED

475'E

10'S 8.5
S 8.4 -2.1
cb 7.9
+7 5.1
1/4 4.4
c 3.6 2.7
1/4 4.2
+7 4.6
cb 7.7
N 7.6 -1.3
10'N 7.4

630
450'E

10'N 7.5
N 7.6 -1.3
cb 7.7
+7 4.3
1/4 4.3
c 3.8 2.5
1/4 4.4
+6 5.2
cb 8.0
S 8.4 -2.1
10'S 8.4

PLOTTED

475'E

10'S 8.5
S 8.4 -2.1
cb 8.0
+7 5.1
1/4 4.5
c 3.8 2.5
1/4 4.3
+7 4.6
cb 7.8
N 7.4 -1.1
10'N 7.5

630

500 F

10' N	7.5	
N	7.5	-1.2
cb	7.7	
+6	4.8	
1/4	4.4	
c	3.7	2.6
1/4	4.5	
+6	5.2	
cb	7.9	
S	8.4	-2.1
10'S	8.3	
	525 F	
10'S	8.1	
S	8.1	-1.8
cb	8.2	
+9	4.9	
1/4	4.5	
c	3.8	2.5
1/4	4.4	
+8	4.9	
cb	7.3	
N	7.5	-1.2
10' N	7.5	

Continued. Book. 843 101

1723 Bridge
 5696 Tow NW RR
 14601 Und NE "
 18464 Testa " Mon
 13180 Division NW Mon

1585 (33)
 Adams Ave


67889
 40
 4.73940

336

343

22,0
1220

22
 167
 171
 191.6
 59
 7.6
 108
 113
 123
 275



172
 55
 94
 94
 57
 5809
 23
 17
 272
 94
 77

